


F	DESCRIPTION 1- Crochet haut 2- Corps de palan 3- Chaîne de levage 4- Chaîne de manoeuvre 5- Crochet bas	SP	DESCRIPTIVO 1- Gancho 2- Polipasto 3- Cadena de elevación 4- Cadena manual 5- Gancho de elevación
GB	DESCRIPTION 1- Top hook 2- Hoist body 3- Load chain 4- Hand chain 5- Load hook	SU	BESKRIVNING 1- Upphångningskrok 2- Handlyftblock 3- Lyftkätting 4- Handkätting 5- Lyftkrok
D	BESCHREIBUNG 1- Unterer Haken kompl. 2- Handkettenzug 3- Hebekette 4- Hand chain 5- Hebe Haken	NOR	PRESENTASJON 1- Toppkrok 2- Kjetting gjalje 3- Løftkjetting 4- Håndkjetting 5- Bunnkrok
NL	BESCHRIJVING 1- Samenstelling bovenhaak 2- Handtakels 3- Samenstelling ophanghaak 4- Hijketting 5- Samenstelling onderhaak	FIN	ESITTELY 1- Ripustuskoukku 2- Koukkupesän 3- Kuormaketju 4- Käsiketju 5- Kuormakoukku
I	DESCRIZIONE 1- S/assieme gancio inferiore 2- Paranco 3- Catena di sollevamento 4- Catena di manovra 5- S/assieme gancio superiore		



F	CARACTERISTIQUES ET ENCOMBREMENTS	SP	CARACTERISTICAS GENERALES Y DIMENSIONES
GB	GENERAL CHARACTERISTICS AND DIMENSIONS	SU	TEKNISKA DATA OCH MÅTT
D	ALLGEMEINE MERKMALE UND ABMESSUNGEN	NOR	GENERELLE KARAKTERISTIKKER OG DIMENSJONER
NL	AFMETINGEN	FIN	TEKNISET TIEDOT JA MITAT
I	CARATTERISTICHE GENERALI E DIMENSIONI		

250kg - 3000kg

5000kg


7500 - 10000kg

TYPE		250kg	500kg	1000kg	1500kg	2000kg	3000kg	5000kg	7500kg	10000kg
LOAD (kg)		250	500	1000	1500	2000	3000	5000	7500	10000
Height of Lift (m)		3	3	3	3	3	3	3	3	3
LOAD	FALLS	1	1	1	1	1	1	2	4	4
CHAIN	Ø x pitch	4 x 12	5 x 15	6 x 18	7.1 x 21	8 x 24	10x28	9x27	9x27	9x27
pulling force (kg)		23	24	25	26	33	37	36	38	38
N.W.(kg)		6.2	11	12.5	17.8	19.5	35	41.3	78.5	78.5
SIZE	A (mm)	121	148	172	196	210	255	280	463	463
	B (mm)	114	132	151	173	175	205	189	189	189
	C (mm)	21	23	27	33	35	39	45	54	54
	D (mm)	3	35	40	45	50	55	65	75	75
	Hmin (mm)	280	345	376	442	470	548	688	765	765

F	CERTIFICAT DU CROCHET
GB	HOOK CERTIFICATE
D	AUSWEIS DES HAKENS
NL	CERTIFICAAT HIJSHAAK
I	CERTIFICATO GANCIO

SP	CERTIFICADO DE GANCHO
SU	LYFTKROK CERTIFIKAT
NOR	SERTIFIKAT FOR KROK
FIN	KOUKKUTODISTUS, nostokoukku

Charge	Charge épreuve	Charge de ruine	Marquage	D	O	B	Hh	Lh	Hv	Lv
Load	Test load	breaking load	Marking							
Last- kapazität	Erprobungslast	Min Reisslast	Markierung							
Hijssvermogen	Proeflast	Min.breukbelasting	Merk							
Capacità	Carico Di prova	Carico di rottura Min.	Marca							
Capacida	Carga de prueba	Carga de ruina Mín.	Marcación							
Last	Provbelastrng	Brottlast	Märkning							
Last	Prøvelast	Min.brudblast	Merking							
Kuorma	Koekuorma	Murtokuorma	Merkintä							
(kg)	(kg)	(kg)		(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
250	500	1000	13S	26,5	21,2	17	20	12,1	17	10,9
500	1000	2000	16S	31,5	25	20	25,7	16	21,8	14
1000	2000	4000	19S	37,5	30	23,6	33,5	20,6	28	18,5
1500	3000	6000	21S	42,5	33,5	26,5	40	24,3	33,5	21,8
2000	4000	8000	22S	45	35,5	28	43,7	26,5	36,5	23,6
3000	6000	12000	24S	50	40	31,5	51,5	31,5	43,7	28
5000	10000	20000	26S	58	46,2	36,5	61,5	37,5	51,5	32,5
7500	15000	30000	28T	75	60	47,5	75	47,5	63	40
10000	20000	40000	28T	75	60	47,5	75	47,5	63	40



F	CERTIFICAT DE CHAÎNE DE LEVAGE	SP	CERTIFICADO DE CADENA DE ELEVACION
GB	CHAIN CERTIFICATE	SU	LYFTKÄTTING CERTIFIKAT
D	AUSWEIS DER HEBEKETTE	NOR	SERTIFIKAT FOR LØFTEKJETTING
NL	CERTIFICAAT HIJSKETTING	FIN	"KETJUTODISTUS", nostoketju
I	CERTIFICATO CATENA DI SOLLEVAMENTO		

Charge	Chaîne x pas	A = Côte sur 11 maillons + 2 diamètres	Nombre de brins
Load	Chain x pitch	A = Dimension over 11 links + 2 diameters	Number of falls
Last-kapazität	Kette x Teilung	A = Mass über 11 Glieder + 2 Durchmesser	Anz. Stränge
Hijbsvermogen	Diameter x steek	A = Maatvoering over 11 schalmen + 2 D	aant.parten
Capacità	diametro x passo	A = Quota su 11 maglie + 2 diametri	Tratto Di catena
Capacida	Cadena x paso	A = Cota en 11 eslabones + 2 diámetros	Cant. De líneas
Last	Kätting x kjededeling	A = Mått över 11 länkar + 2 diametrar	Antal part.
Last	Kätting x kjededeling	A = Mått över 11 länkar + 2 diametrar	Antal part.
Kuorma	Ketju x pituus	A = Viiden lenkin pituus kuvan mukaisesti	Ketju luku
(kg)	(mm)	(mm)	
250	4*12	5.20(+0.02,-0.01)	1
500	5*15	6.50(+0.02,-0.01)	1
1000	6*18	7.80(+0.02,-0.01)	1
1500	7*21	9.09(+0.03,-0.02)	1
2000	8*24	10.39(+0.03,-0.02)	1
3000	10*28	12.13(+0.04,-0.02)	1
5000	9*27	11.46(+0.04,-0.02)	2
7500	9*27	11.46(+0.04,-0.02)	4
10000	9*27	11.46(+0.04,-0.02)	4

